

# STARLINE

PRODUCT CATALOG 2024





Starline is a leading brand and comprehensive provider of PPE with a wide range of products that cover all aspects of safety and protection located in Turkey. We offer a diverse selection of products, ranging from head to toe protection.

We produce safety shoes and PU boots that are designed to protect the feet and ankles of workers in various industries. The latest technology German DESMA machines are used during the production process along with use high-quality BASF raw materials to ensure durable and long-lasting final product. Almost all of our products are certificated by SATRA, including safety shoes and PU boots produced in our facility.





In addition to high-quality safety shoe and PU Boot production, we also boast a large stock capacity thanks to our 30,000 square meter closed warehouse. This warehouse serves as an operation center, where allows us to keep a significant amount of stock on hand at all times, and that helps us to quickly and efficiently meet the needs of our business partners in a timely and efficient manner.



As Starline, we are committed to providing our customers with the highest-quality PPE products. We have a well-established distribution network that empowers to export our products to over 25 countries worldwide. This extensive reach allows us to provide safety and protection to individuals in various industries and markets, no matter where they are located. We take pride in being a global supplier of PPE that people can trust, and we are committed to continuing to expand our reach and provide safety for people all around the world.

Official distributor of: **Honeywell** **PORTWEST** **NPL**  
RESPIRATORY PROTECTIVE EQUIPMENT







Head and Face Protection **5-8**



Eye Protectors **9-13**



Noise Inhibitors **14-16**



Face Masks and Filters **17-19**



Leather Gloves **20-21**



Welding Gloves **22-26**



Heat Gloves **27**



Food-Stab Free Gloves **28-29**



Foam Nitrile Gloves **30-37**



Cut Resistant Gloves **38-41**



Nitrile, PU and Latex Gloves **42-48**



Chemical Gloves **49-51**



Special Purpose Gloves **51-55**



Sleeves **56**



Protective Clothes and Raincoats **57-58**



Safety Shoes and PU Boots **59-78**



First Aid Kits and Eye Washes **79-81**



First Aid Kits and Eye Washes **82**




Environmental Safety **83-86**



Measuring Tapes, Safety Strips and Accessories **87-88**



# Head and Face Protection



**Suspension**  
 AI - Wheel adjusted suspension  
 BI - Manual adjusted suspension

MADE IN TURKIYE



	Weight	Size	Material	Standards	Packaging	MOQ
1470-AL	399 gr	53-65 cm	HDPE	EN 397: 2012 + A1: 2012	1 pcs / 30	30
1470-BL	385 gr	53-65 cm	HDPE	EN 397: 2012 + A1: 2012	1 pcs / 30	30
1470-AL Ratchet		53-65 cm			1 pcs / 50	50
1470-BL Ratchet		53-65 cm			1 pcs / 50	50
CHINSTRAP						500






**1480 Climbing Helmet**

**COLORS :**



	Weight	Size	Material	Standards	Packaging	MOQ
<b>1480</b>	480 gr	51-62 cm	ABS	EN 12492	1 pcs / 10	10

**MADE IN TURKIYE** 






**YS-51**



**YS-53**



**YS-57**



	Material	Standards	Packaging	MOQ
<b>YS-51</b>	Polycarbonate (PC)	EN 166	35 pcs / 140	140
<b>YS-53</b>	Polycarbonate (PC)	2-1.2 STL 1 BT 9	1 pcs / 10	10
<b>YS-57</b>	Polycarbonate (PC)	2-1.2 STL 1 BT 9	1 pcs / 10	10



**YS-54-C**



**YS-55-C**



**YS-55A-C**



**YS-55-G**



**YS-55A-G**

	Compatibility	Thickness	Material	Lens Identification	Lens Identification	Packaging	MOQ
<b>YS-54-C</b>	YS-51 & YS-53	1 mm	Polycarbonate (PC)	EN 166	Clear	35 pcs / 140	140
<b>YS-55-C</b>	YS-53 & YS-57	3 mm	Polycarbonate (PC)	2-1.2 STL 1 BT 9	Clear	1 pcs / 10	10
<b>YS-55A-C</b>	YS-53 & YS-57	3 mm	Polycarbonate (PC)	2-1.2 STL 1 BT 9	Clear - Antifog	1 pcs / 10	10
<b>YS-55-G</b>	YS-53 & YS-57	3 mm	Polycarbonate (PC)	4-5 STL 1 BT 9	Green	1 pcs / 10	10
<b>YS-55A-G</b>	YS-53 & YS-57	3 mm	Polycarbonate (PC)	4-5 STL 1 BT 9	Green- Antifog	1 pcs / 10	10



**YS-55 & YS-57**



**YS-55-G & YS-57**



**1470&YS-53 & YS-54-C**



**1470 & BT-03**



**1470 & BT-01**



**1470 & YS-53 & YS-55-G**





**LEADER LUXE**



**TH COVER**



**TH-10-11-13**



**YC-80**



TH10 (777): Elektrik and light sources  
 TH11 (787): Electricity, steel alloys, copper, aluminum and so on. metal sources  
 TH13 (888): Continuous, gas and argon is used sources (MIG-MAG-TIG).  
 110mm x 80mm x 3.0mm - Large Glass  
 110mm x 50mm x 3.0mm - Narrow Glass

	Size	Standards	Packaging	MOQ
<b>LEADER LUXE</b>		EN 379 EN 175	1 pcs / 6	6
<b>YC-80 (Narrow)</b>	110mm x 50mm x 3mm	EN 175	1 pcs / 12	12
<b>YC-80 (Wide)</b>	110mm x 80mm x 3mm	EN 175	1 pcs / 12	12
<b>TH-COVER (Narrow)</b>	110mm x 50mm x 3mm	EN 166	100 pcs / 1000	1000
<b>TH-COVER (Wide)</b>	110mm x 80mm x 3mm	EN 166	100 pcs / 1000	1000
<b>TH-10-777 (Narrow)</b>	110mm x 50mm x 3mm	EN 166 + EN 169	100 pcs / 500	500
<b>TH-10-777 (Wide)</b>	110mm x 80mm x 3mm	EN 166+ EN 169	100 pcs / 400	400
<b>TH-11-787 (Narrow)</b>	110mm x 50mm x 3mm	EN 166+ EN 169	100 pcs / 500	500
<b>TH-11-787 (Wide)</b>	110mm x 80mm x 3mm	EN 166+ EN 169	100 pcs / 400	400
<b>TH-13-888 (Narrow)</b>	110mm x 50mm x 3mm	EN 166+ EN 169	100 pcs / 500	500
<b>TH-13-888 (Wide)</b>	110mm x 80mm x 3mm	EN 166+ EN 169	100 pcs / 400	400

# Eye Protectors



**G-028-C**

**G-028A-C**



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-028-C</b>	23 gr	2C-1,2 STL 1 F C€	STL 166 F C€	Clear	1 pcs / 144	144
<b>G-028A-C</b>	23 gr	2C-1,2 STL 1 F C€	STL 166 F C€	Clear - Antifog	1 pcs / 144	144



**G-037A-C & G-037KN-C**



**G-037A-S & G-037KN-S**



Inclination Adjustment



Remable Arms

	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-037A-C</b>	35 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 100	100
<b>G-037A-S</b>	35 gr	5-3,1 STARLINE 1 FT C€	STL 166 FT C€	Smoke - Antifog	1 pcs / 100	100
<b>G-037KN-C</b>	35 gr	2C-1,2 STARLINE 1 FT KN C€	EN 166 FT C€	Clear - Antifog	1 pcs / 100	100
<b>G-037KN-S</b>	35 gr	5-3,1 STARLINE 1 FT KN C€	EN 166 FT C€	Smoke - Antifog	1 pcs / 100	100



**Eva Foam provides more comfortable use and allows the product to fit more comfortably on different face types**





**G-036A-G**



**G-038A-C**



Lenght Adjustment



Inclination Adjustment



Glass String Hole

	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-036A-G</b>	42 gr	2C-1, 2STARLINE 1 FT C€ - 4-5 STARLINE 1 FT C€	STL 166 FT C€	Clear Antifog & Smoke Antifog	1 pcs / 144	144
<b>G-038A-C</b>	28 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 144	144



**G-051A-C & G-051KN-C**



**G-051A-S & G-051KN-C**



**G-051A-Y & G-051KN-Y**



Inclination Adjustment



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-051A-C</b>	28 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 100	100
<b>G-051A-S</b>	28 gr	5-3,1 STARLINE 1 FT C€	STL 166 FT C€	Smoke - Antifog	1 pcs / 100	100
<b>G-051A-Y</b>	28 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Yellow - Antifog	1 pcs / 100	100
<b>G-051KN-C</b>	28 gr	2C-1,2 STARLINE 1 FT K N C€	STL 166 FT C€	Clear - Antifog	1 pcs / 100	100
<b>G-051KN-S</b>	28 gr	5-3,1 STARLINE 1 FT K N C€	STL 166 FT C€	Smoke - Antifog	1 pcs / 100	100
<b>G-051KN-Y</b>	28 gr	2C-1,2 STARLINE 1 FT KN C€	STL 166 FT C€	Yellow - Antifog	1 pcs / 100	100



**G-053A-C**



**G-053A-S**



**G-053A-Y**



Side Padding



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-053A-C</b>	22 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 144	144
<b>G-053A-S</b>	22 gr	5-3,1 STARLINE 1 FT C€	STL 166 FT C€	Smoke - Antifog	1 pcs / 144	144
<b>G-053A-Y</b>	22 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Yellow - Antifog	1 pcs / 144	144



**G-058A-C**



**G-058A-S**



**G-058A-Y**



**G-058A-G**



Side Padding



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-058A-C</b>	24 gr	2C-1,2 STARLINE 1 FT CE	STL 166 FT CE	Clear - Antifog	1 pcs / 144	144
<b>G-058A-S</b>	24 gr	5-3,1 STARLINE 1 FT CE	STL 166 FT CE	Smoke - Antifog	1 pcs / 144	144
<b>G-058A-Y</b>	24 gr	2C-1,2 STARLINE 1 FT CE	STL 166 FT CE	Yellow - Antifog	1 pcs / 144	144
<b>G-058A-G</b>	24 gr	4-5 STARLINE 1 FT CE	STL 166 FT CE	Green - Antifog	1 pcs / 144	144



**G-025**

	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-025</b>	137gr.	STARLINE 1 F CE 5-5 JY 1 CE	STL 175 F CE	Clear / Green	20 pcs / 120	120





**G-052A-C**



**G-059A-C & G-059KN-C**



Side Padding

Side Padding

	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-052A-C</b>	37 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 100	100
<b>G-059A-C</b>	21 gr	5-3,1 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 100	100
<b>G-059KN-C</b>	21 gr	2C-1,2 STARLINE 1 FT K N C€	STL 166 FT C€	Clear - Antifog	1 pcs / 100	100



**G-004-C**

**G-004A-C**



Lenght Adjustment

Lenght Adjustment

Glass String Hole

Glass String Hole

	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-004-C</b>	30 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear	1 pcs / 144	144
<b>G-004A-C</b>	30 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 144	144



**G-034A-C**




**G-034A-S**



**G-034A-Y**




	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-034A-C</b>	31 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 144	144
<b>G-034A-S</b>	31 gr	5-3,1 STARLINE 1 FT C€	STL 166 FT C€	Smoke - Antifog	1 pcs / 144	144
<b>G-034A-Y</b>	31 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Yellow - Antifog	1 pcs / 144	144



**G-026A-C**



**G-039A-C**



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-026A-C</b>	39 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 144	144
<b>G-039A-C</b>	38 gr	2C-1,2 STARLINE 1 FT C€	STL 166 FT C€	Clear - Antifog	1 pcs / 144	144



**G-024A-C**



**G-031A-C & G-031KN-C**



**G-032A-C & G-032KN-C**



**G-033A-C & G-033KN-C**



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-024A-C</b>	110 gr	2C - 1,2 STL 1 B CE	STL 166 B C€	Clear - Antifog	1 pcs / 120	120
<b>G-031A-C</b>	85 gr	STARLINE 1 BT 9 CE	EN 166 3 4 9 K N BT C€	Clear - Antifog	1 pcs / 120	120
<b>G-031KN-C</b>	85 gr	STARLINE 1 BT 9 K N C€	EN 166 3 9 BT C€	Clear - Antifog	1 pcs / 120	120
<b>G-032A-C</b>	97 gr	1 BT 9 CE	EN 166 3 4 5 9 K N BT C€	Clear - Antifog	1 pcs / 120	120
<b>G-032KN-C</b>	97 gr	STARLINE 1 BT 9 K N C€	EN 166 3 4 5 9 BT C€	Clear - Antifog	1 pcs / 120	120
<b>G-033A-C</b>	70 gr	1 BT 9 CE	EN 166 3 4 9 N BT C€	Clear - Antifog	1 pcs / 120	120
<b>G-033KN-C</b>	70 gr	1 BT 9 CE	EN 166 3 4 9 N BT C€	Clear - Antifog	1 pcs / 120	120



**G-035A-C**



**G-035A-S**



	Weight	Lens Identification	Frame Identification	Lens Identification	Packaging	MOQ
<b>G-035A-C</b>	110 gr	2C-1,2 STARLINE 1 BT 9 C€	EN 166 3 4 9 K N BT C€	Clear - Antifog	1 pcs / 100	100
<b>G-035A-S</b>	110 gr	5-3,1 STARLINE 1 BT 9 C€	EN 166 3 4 9 K N BT C€	Smoke - Antifog	1 pcs / 100	100



## Noise Inhibitors



2306 (Single Packed)



2306-C




2306 Bulk (500 Pairs)



DSP-500-EMP

DSP-500-FULL w/2306

MADE IN TURKIYE 

	SNR value	Material	Standards	Packaging	MOQ
2306 (Single Packed)	30 dB	Polyurethane	EN 352-2	200 prs / 1000	1000
2306-C	30 dB	Polyurethane	EN 352-2	100 prs / 500	500
2306 Bulk (500 Pairs)	30 dB	Polyurethane	EN 352-2	500 prs / 3000	3000
DSP-500-FULL w/2306	30 dB	Polyurethane	EN 352-2	500 prs / 2500	2500
DSP-500-EMP				1 pcs / 5	5



571


MADE IN TURKIYE 



611

MADE IN TURKIYE 

	SNR value	Material	Standards	Packaging	MOQ
571	25 dB	Polyurethane	EN 352-2	20 prs / 360	360
611	19 dB	Polyurethane	EN 352-1	20 prs / 360	360

MADE IN TURKIYE 



	SNR value	Material	Standards	Packaging	MOQ
1299-T	22,5 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250
1409-C	28,5 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250
1453-T	24 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250
1707-T	21,5 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250
1707D-C	22,6 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250
2411-T	22,6 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250
2706-C	21 dB	TPE (Thermoplastic Elastomer)	EN 352-2	50 prs / 250	250



**BT-01**  
MADE IN TURKIYE



**BT-03**

	SNR value	Material	Standards	Packaging	MOQ
BT-01	25 dB	ABS	EN 352-3	1 pcs / 30	30
BT-03	25,9 dB	ABS	EN 352-3	1 pcs / 30	30



**MK-01**  
MADE IN TURKIYE



**MK-02**  
MADE IN TURKIYE



**MK-04**



**MK-05**



**MK-06**

	SNR value	Material	Standards	Packaging	MOQ
MK-01	22 dB	ABS	EN 352-1	1 pcs / 40	40
MK-02	28 dB	ABS	EN 352-1	1 pcs / 30	30
MK-04	27,6 dB	ABS	EN 352-1	1 pcs / 60	60
MK-05	29,8 dB	ABS	EN 352-1	1 pcs / 40	40
MK-06	30,4 dB	ABS	EN 352-1	1 pcs / 40	40



# Face Masks and Filters



V-800



V-7800 A1P2R



V-7800 ABEK1P2R



V-7800 P3



V-7800 P3 Pancake

	Type	Material	Standards	Packaging	MOQ
V-800	Half Face Double Filter Size: M-L	TPE	EN 140	1 pcs / 12	12
V-7800 A1P2R	A1P2R	-	EN 14387	1 pcs / 24	24
V-7800 ABEK1P2R	ABEK1P2R	-	EN 143	1 pcs / 24	24
V-7800 P3	P3	-	EN 143	1 pcs / 24	24
V-7800 P3 Pancake	P3	-	EN 143	1 pcs / 60	60





**1000-T**



**2000-T**

	Compatible Filters	Type	Material	Standards	Packaging	MOQ
<b>1000-T</b>	Bayonet Filters	Half Face Single Filter	TPE	EN 140	1 pcs / 42	42
<b>2000-T</b>	Bayonet Filters	Half Face Double Filter	TPE	EN 140	1 pcs / 42	42



**3000-T**



**3000-C**



**4000-C**

	Compatible Filters	Type	Material	Standards	Packaging	MOQ
<b>3000-T</b>	T Series Filters	Full Face (Polycarbonate Lens) Single Filter	TPE	EN136:1998/AC: CL. 2 EN 148	1 pcs / 15	15
<b>3000-C</b>	T Series Filters	Full Face (Polycarbonate Lens) Single Filter	EPDM	EN136:1998/AC: CL. 2 EN 148	1 pcs / 15	15
<b>4000-C</b>	Bayonet Filters	Full Face (Polycarbonate Lens) double Filter	EPDM	EN136:1998/AC: CL. 2	1 pcs / 15	15



**1000-T      2000-T      4000-C**







**Protection   Color Code   Case Quantity**

	<b>B101</b>	A1		6 pcs / 252
	<b>B103</b>	ABE2		6 pcs / 252
	<b>B104</b>	ABEK1		6 pcs / 252
	<b>B113</b>	ABEK1 P3 R		4 pcs / 168
	<b>B204</b>	ABEK2		6 pcs / 252
	<b>B210</b>	A2 P3 R P3 R		4 pcs / 168
	<b>B213</b>	ABEK2 P3 R		4 pcs / 168
	<b>B302</b>	P3 R		6 pcs / 252



**3000-T      3000-C**

**Protection   Color Code   Case Quantity**

	<b>T10</b>	A2		6 pcs / 36
	<b>T13</b>	ABE1		6 pcs / 36
	<b>T14</b>	ABEK2		5 pcs / 50
	<b>T24</b>	ABEK2 P3 R		4 pcs / 24
	<b>T25</b>	ABEK2 Hg P3R		4 pcs / 24
	<b>T30</b>	P3 R		6 pcs / 36



# Leather Gloves



**E-001-OR**

**E-110192C-SR**

**E-026-MV**

**E-021-SR**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-001-OR</b>	Split Leather	Cotton	EN 388: (4122X)	10 / XL	12 prs / 120	120
<b>E-110192C-SR</b>	Split Leather	Cotton	EN 388: (4122X)	10 / XL	12 prs / 120	120
<b>E-026-MV</b>	Split Leather	Cotton	EN 388: (4122X)	10 / XL	1 prs / 120	120
<b>E-021-SR</b>	Split Leather	Cotton	EN 388: (4122X)	10 / XL	12 prs / 120	120



**E-041-YS**

**E-051-YS**

**E-051-BY**

	Material	Lining	Reinforcement	Standards	Size	Packaging	MOQ
<b>E-041-YS</b>	Split Leather	Cotton	Split Leather	EN 388: (4122X)	10 / XL	1 prs / 120	120
<b>E-051-YS</b>	Split Leather	Cotton	Split Leather	EN 388: (4122X)	10 / XL	1 prs / 120	120
<b>E-051-BY</b>	Split Leather	Cotton	Split Leather	EN 388: (2142X)	10 / XL	1 prs / 120	120



**DRIVER-X**



**E-1203**

	Material	Lining	Reinforcement	Standards	Size	Packaging	MOQ
<b>DRIVER-X</b>	Grain Leather	-	-	EN 388:(2X11X)	10 / XL	1 prs / 72	72
<b>E-1203</b>	Split Leather	Cotton	Grain Leather	EN 388: (4122X)	10 / XL	1 prs / 120	120



# Welding Gloves



**E-061**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-061</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (41314X)	10 / XL	1 prs / 60	60



**E-071**



**E-072**



**E-073**



**E-074**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-071</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (41314X)	10 / XL	1 prs / 72	72
<b>E-072</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (41314X)	10 / XL	1 prs / 72	72
<b>E-073</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (41314X)	10 / XL	1 prs / 72	72
<b>E-074</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (41314X)	10 / XL	1 prs / 72	72






**E-170418C-KR**

**E-170418C-SY**

**E-170418C-GR**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-170418C-KR</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (21314X)	10 / XL	1 prs / 60	60
<b>E-170418C-SY</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (21314X)	10 / XL	1 prs / 60	60
<b>E-170418C-GR</b>	Split Leather	Cotton	EN 388: (3122X) EN 407: (21314X)	10 / XL	1 prs / 60	60





**E-101**

**E-102**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-101</b>	Split & GrainLeather	-	EN 388: (2X11X) EN 407:(41314X)	10 / XL	1 prs / 144	144
<b>E-102</b>	Split & GrainLeather	-	EN 388: (2X11X) EN 407: (41314X)	10 / XL	1 prs / 144	144



**E-1303**



**E-1304**



**E-1306**

→ Grain Leather  
→ Split Leather

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-1303</b>	Split Leather	Denim	EN 388:(3122X) EN 407:(42314X)	11 / XXL	1 prs / 30	30
<b>E-1304</b>	Split Leather	Denim	EN 388: (3122X) EN 407: (42314X)	10 / XL	1 prs / 30	30
<b>E-1306</b>	Split & Grain Leather	-	EN 388:(3111X) EN 407: (42314X)	10 / XL	1 prs / 30	30



**E-1307**

**E-1309**

**E-1310**

**E-1311**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-1307</b>	Grain Leather & ZIG Leather	Cotton	EN 388:(2112X) EN 407: (42314X)	10 / XL	1 prs / 30	30
<b>E-1309</b>	Grain & Split Leather	Cotton	EN 388:(2122X) EN 407: (42314X)	10 / XL	1 prs / 30	30
<b>E-1310</b>	Split Leather	Cotton	EN 388:(4144X) EN 407: (42314X)	10 / XL	1 prs / 30	30
<b>E-1311</b>	Split Leather	Denim	EN 388: (4244X) EN 407: (413X4X) EN ISO 21420 EN ISO 12477	10 / XL	1 prs / 30	30







**E-1312**



**E-1313**



**E-1314**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-1312</b>	Grain & Split Leather	Denim	EN 388:(3223X) EN 407: (413X4X)	10 / XL	1 prs / 30	30
<b>E-1313</b>	Grain & Split Leather	Denim	EN 388:(3223X) EN 407: (413X4X)	10 / XL	1 prs / 30	30
<b>E-1314</b>	Grain & Split Leather	Denim	EN 388:(3223X) EN 407: (413X4X)	10 / XL	1 prs / 30	30

## Heat Gloves



**S1TK/08**

**S1TK-18**

**S2TKTKA-15**

**C2AGP-18TK**

	Material	Lining	Lenght	Standards	Size	Packaging	MOQ
<b>S1TK/08</b>	Aramid	Cotton	28 cm	EN 388: (4442C) EN 407: (423X3X)	10 / XL	1 prs / 30	30
<b>S1TK-18</b>	Aramid	Cotton	38 cm	EN 388: (4442C) EN 407: (423X3X)	10 / XL	1 prs / 30	30
<b>S2TKTKA-15</b>	Aramid	Cotton	35 cm	EN 388: (3343X) EN 407: (423X3X)	10 / XL	1 prs / 30	30
<b>C2AGP-18TK</b>	Aramid	Cotton	38 cm	EN 388: (3243X) EN 407: (443321)	10 / XL	1 prs / 30	30



**E-636550**



**E-636250**

	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-636550</b>	Aramid	Cotton	EN 388: (4442C) EN 407: (423X3X)	9/L, 10/XL	1 prs / 60	60
<b>E-636250</b>	Cotton&Polyester	Cotton	EN 388: (4442C) EN 407: (423X3X)	10 / XL	1 prs / 72	72

# Food-Stab Free Gloves



**RAPTOR**



**PROTEC**



**PROTEC-15**



**PROTEC-Full Arm**

	Material	Standards	Size	Packaging	MOQ
<b>RAPTOR</b>	Stainless Steel	EN 1082-10, EN 1811 EN 14328	M,L	1 pcs / 10	10
<b>PROTEC</b>	Stainless Steel	EN 1082-1	XS, S, M, L	1 pcs / 10	10
<b>PROTEC-15</b>	Stainless Steel	EN 1082-1	S, M, L	1 pcs / 10	10
<b>PROTEC-Full Arm</b>	Stainless Steel	EN 1082-1	M	1 pcs / 10	10



**STANDART 3**



**STANDART 5**

	Material	Standards	Size	Packaging	MOQ
<b>STANDART 3</b>	Stainless Steel	EN 1082-1	S, M, L	1 pcs / 10	10
<b>STANDART 5</b>	Stainless Steel	EN 1082-1	XXS, XS, S, M, L	1 pcs / 10	10



**S-80**

	Material	Standards	Size	Packaging	MOQ
<b>S-80</b>	Stainless Steel	EN 13998	-	1 pcs / 10	10





**E-636700**

13-6



**E-636800**

MADE IN TURKIYE 



	Material	Lining	Standards	Size	Packaging	MOQ
<b>E-636700</b>	Aramid	Cotton	EN 388: (234XX) EN 407: (423XXX)	7/S, 8/M, 9/L, 10/XL	9/L, 10/XL	1 prs / 60
<b>E-636800</b>	Cotton&Polyester	Cotton	EN 388:(1342X) EN 407: (X2XXXX)	7/S, 8/M, 9/L, 10/XL	10 / XL	1 prs / 60



**STL-1001**

**STL-1002**

**STL-1003**



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1001</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4131X) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL, 11/2XL	12 prs / 120	120
<b>STL-1002</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4131X) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL, 11/2XL	12 prs / 120	120
<b>STL-1003</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4131X) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL, 11/2XL	12 prs / 120	120



**STL-1004**

**STL-1005**

**STL-1006**



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1004</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4131X) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL, 11/2XL	12 prs / 120	120
<b>STL-1005</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4131X) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL, 11/2XL	12 prs / 120	120
<b>STL-1006</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4131X) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL, 11/2XL	12 prs / 120	120





	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1013</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1014</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1017</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1018</b>	STF Foam Nitrile	Nylon + Spandex	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120





**E-91**



**E-92**



**E-93**



Sandy Nitrile

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-91</b>	Micro Foam Nitrile	Nylon + Spandex	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-92</b>	Micro Foam Nitrile	Nylon + Spandex	EN 388: (4121X)	8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-93</b>	Sandy Nitrile	Nylon + Spandex	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**E-111801**



**E-111865**



**E-111805**



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-111801</b>	Ultra Thin Foam Nitrile	Nylon + Spandex	EN 388: (3121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-111865</b>	Ultra Thin Foam Nitrile	Nylon + Spandex	EN 388: (3121X)	8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-111805</b>	Ultra Thin Foam Nitrile	Nylon + Spandex	EN 388: (3121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1201**

MADE IN TURKIYE 

**STL-1202**

MADE IN TURKIYE 

**STL-1203**

MADE IN TURKIYE 

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1201</b>	Micro Foam Nitrile	Nylon + Spandex	EN 388:(4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1202</b>	Micro Foam Nitrile	Nylon + Spandex	EN 388: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1203</b>	Micro Foam Nitrile	Nylon + Spandex	EN 388: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1204**

MADE IN TURKIYE 


**STL-1205**

MADE IN TURKIYE 

**STL-1206**

MADE IN TURKIYE 

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1204</b>	Foam Nitrile	Nylon + Spandex	EN 388:(4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1205</b>	Foam Nitrile	Nylon + Spandex	EN 388: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1205</b>	Foam Nitrile	Nylon + Spandex	EN 388: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1401**

MADE IN TURKIYE

**STL-1402**

MADE IN TURKIYE

**STL-1403**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1401</b>	Foam Nitrile	Nylon + Spandex	EN 388: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1402</b>	Foam Nitrile	Nylon + Spandex	EN 388:(4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1403</b>	Foam Nitrile	Nylon + Spandex	EN 388: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1404**

MADE IN TURKIYE

**STL-1405**

MADE IN TURKIYE

**STL-1406**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1404</b>	Foam Nitrile	Nylon + Spandex	EN 388:+A1: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1405</b>	Foam Nitrile	Nylon + Spandex	EN 388:+A1: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1406</b>	Foam Nitrile	Nylon + Spandex	EN 388:+A1: (4141A) EN 407: (X1XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120





**STL-1071**

MADE IN TURKIYE

**STL-1072**

MADE IN TURKIYE

**STL-1073**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1071</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1072</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1073</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1074**

MADE IN TURKIYE

**STL-1075**

MADE IN TURKIYE

**STL-1076**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1074</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1075</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1076</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1081**

MADE IN TÜRKİYE

**STL-1082**

MADE IN TÜRKİYE

**STL-1083**

MADE IN TÜRKİYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1081</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1082</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1083</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1084**

MADE IN TÜRKİYE

**STL-1085**

MADE IN TÜRKİYE

**STL-1086**

MADE IN TÜRKİYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1084</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1085</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1086</b>	Foam Nitrile	Polyester	EN 388:+A1: (3121A) EN ISO 21420	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**E-151600**

**15-G**  Sandy Nitrile  
Double Dipping

**E-151615**

**15-G**  Sandy Nitrile  
Double Dipping

**E-151620**

**15-G**  Sandy Nitrile  
Double Dipping

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-151600</b>	SFT Nitrile + Sandy Nitrile	Nylon + Spandex	EN 388:+A1: (4121X)	7/S, 8/M, 9/L, 10/XL	1 prs / 120	120
<b>E-151615</b>	SFT Nitrile + Sandy Nitrile	Nylon + Spandex	EN 388:+A1: (4121X)	7/S, 8/M, 9/L, 10/XL	1 prs / 120	120
<b>E-151620</b>	SFT Nitrile + Sandy Nitrile	Nylon + Spandex	EN 388:+A1: (4121X)	7/S, 8/M, 9/L, 10/XL	6 prs / 120	120



**STL-1007**

**18-G**     Sandy Nitrile  
Double Dipping

**15-G**  Sandy Nitrile  
Double Dipping

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1007</b>	SFT Nitrile + Sandy Nitrile	Nylon	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-151715</b>	Nitrile + Sandy Nitrile	Nylon	EN 388: (3121X)	7/S, 8/M, 9/L, 10/XL	6 prs / 120	120



# Cut Resistant Gloves



**STL-1008**



**STL-1009**



**STL-1109**



**STL-1030**



**STL-1040**

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100

SMART FOAM TECHNOLOGY  
SFT

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100

SMART FOAM TECHNOLOGY  
SFT

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100

SMART FOAM TECHNOLOGY  
SFT

SMART FOAM TECHNOLOGY  
SFT



SMART FOAM TECHNOLOGY  
SFT



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1008</b>	SFT Nitrile	Polyethylene + Glass Fiber + Synthetic Yarn	EN 388: (4X31B)	7/S, 8/M, 9/L, 10/XL	1 prs / 72	72
<b>STL-1009</b>	SFT Nitrile	Polyethylene + Glass Fiber + Synthetic Yarn	EN 388: (4X42C)	7/S, 8/M, 9/L, 10/XL	1 prs / 72	72
<b>STL-1109</b>	SFT Nitrile	Polyethylene + Glass Fiber + Synthetic Yarn	EN 388: (4X42CP) EN 407: (X1XXXX)	9/L, 10/XL	4 prs / 40	40
<b>STL-1030</b>	Foam Nitrile	Nylon, Spandex, HPPE, Steel Fiber	EN 388: (4X42F)	7/S, 8/M, 9/L, 10/XL	1 prs / 60	60
<b>STL-1040</b>	Foam Nitrile	Nylon, Spandex, HPPE, Steel Fiber	EN 388: (4X43D) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL	12 prs / 60	60



**STL-1501**  
MADE IN TÜRKİYE

**STL-1502**  
MADE IN TÜRKİYE

**STL-1503**  
MADE IN TÜRKİYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1501</b>	Foam Nitrile	HPPE + Dyneema + Nylon	EN 388: (4X43D)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1502</b>	Foam Nitrile	HPPE + Dyneema + Nylon	EN 388: (4X43D)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1503</b>	Foam Nitrile	HPPE + Dyneema + Nylon	EN 388: (4X43D)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**STL-1504**  
MADE IN TÜRKİYE

**STL-1505**  
MADE IN TÜRKİYE

**STL-1506**  
MADE IN TÜRKİYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1504</b>	Foam Nitrile	HPPE + Dyneema + Nylon	EN 388: (4X43D)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1505</b>	Foam Nitrile	HPPE + Dyneema + Nylon	EN 388: (4X43D)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>STL-1506</b>	Foam Nitrile	HPPE + Dyneema + Nylon	EN 388: (4X43D)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120





**E-53**



**E-55**



**STL-1015**



**E-145505**



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-53</b>	PU	Glass Fiber + Nylon	EN 388: (4X41B)	7/S, 8/M, 9/L, 10/XL	1 prs / 120	120
<b>E-55</b>	PU	Glass Fiber + Polyethylene	EN 388: (4X42C)	7/S, 8/M, 9/L, 10/XL	1 prs / 120	120
<b>STL-1015</b>	PU	Glass Fiber + Polyethylene	EN 388: (4X42C)	7/S, 8/M, 9/L, 10/XL	1 prs / 120	120
<b>E-145505</b>	PU	Glass Fiber + Seamless Lycra	EN 388: (4X42C)	7/S, 8/M, 9/L, 10/XL	1 prs / 60	60



**E-60**

MADE IN TÜRKİYE

**E-62**

MADE IN TÜRKİYE

**E-63**

MADE IN TÜRKİYE

**E-65**

MADE IN TÜRKİYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-60</b>	Foam Nitrile	HPPE	EN 388: (3X42C)	7/S, 8/M, 9/L, 10/XL	1 prs / 60	60
<b>E-62</b>	PU	Glass Fiber + Nylon	EN 388: (4X42B)	8/M, 9/L, 10/XL	12 prs / 60	60
<b>E-63</b>	PU	Glass Fiber + Nylon	EN 388: (4X42B)	7/S, 8/M, 9/L, 10/XL	1 prs / 60	60
<b>E-65</b>	Foam Nitrile	HPPE	EN 388: (3X42C)	9/L, 10/XL	12 prs / 60	60





**E-115100**

**E-135505**

MADE IN TURKIYE 🇹🇷

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-115100</b>	Foam Nitrile	Glass Fiber + Aramid	EN 388: (4231B) EN 407: (X2XXXX)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-135505</b>	Foam Nitrile	HPPE + Polyester	EN 388: (4243B)	8/M, 9/L, 10/XL	12 prs / 60	60





**STL-1010**



**STL-135620**



**STL-135625**



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1010</b>	SFT Nitrile + Sandy Nitrile	Polyethylene + Glass Fiber	EN 388: (4X43C) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/XL	1 prs / 72	72
<b>STL-135620</b>	Nitrile + Sandy Nitrile	HDPE + Glass Fiber	EN 388: (4X43C)	8/M, 9/L, 10/XL	1 prs / 60	60
<b>STL-135625</b>	Nitrile + Sandy Nitrile	HDPE + Glass Fiber	EN 388: (4X43C)	8/M, 9/L, 10/XL	1 prs / 60	60

## Nitrile, PU and Latex Gloves



**E-161300**

MADE IN TURKIYE

**E-161301**

MADE IN TURKIYE

**E-161302**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-161300</b>	Nitrile	Polyester	EN 388: (3121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-161301</b>	Nitrile	Polyester	EN 388: (3121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-161302</b>	Nitrile	Polyester	EN 388: (3121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**E-161400**

MADE IN TURKIYE

**E-161401**

MADE IN TURKIYE

**E-161402**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-161400</b>	Micro Foam Nitrile	Polyester	EN 388: (4121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-161401</b>	Micro Foam Nitrile	Polyester	EN 388: (4121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120
<b>E-161402</b>	Micro Foam Nitrile	Polyester	EN 388: (4121A)	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**E-203**

**E-204**

**E-205-B**

**E-205-Y**

**E-206-B**

**E-206-Y**

MADE IN TURKIYE

MADE IN TURKIYE

MADE IN TURKIYE

MADE IN TURKIYE

MADE IN TURKIYE

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-203</b>	Nitrile	Cotton	EN 388: (2121X)	9/L, 10/XL	12 prs / 288	288
<b>E-204</b>	Nitrile	Cotton	EN 388: (3121X)	9/L, 10/XL	12 prs / 288	288
<b>E-205-B</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 240	240
<b>E-205-Y</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 240	240
<b>E-206-B</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 240	240
<b>E-206-Y</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 240	240



**STL/LFKB**

**STL/LFKY**

**STL/LPKY**

**STL/LPKY**

MADE IN TURKIYE

MADE IN TURKIYE

MADE IN TURKIYE

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL/LFKB</b>	Nitrile	Cotton	EN 388: (4121X)	9/L, 10/XL	12 prs / 240	240
<b>STL/LFKY</b>	Nitrile	Cotton	EN 388: (4121X)	9/L, 10/XL	12 prs / 120	120
<b>STL/LPKY</b>	Nitrile	Cotton	EN 388: (4121X)	9/L, 10/XL	12 prs / 120	120
<b>STL/LPKY</b>	Nitrile	Cotton	EN 388: (4121X)	9/L, 10/XL	12 prs / 120	120





**E-370**

MADE IN TÜRKİYE 

**E-371**

MADE IN TÜRKİYE 

**E-372**



	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-370</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 120	120
<b>E-371</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 120	120
<b>E-372</b>	Nitrile	Cotton	EN 388: (4221B)	9/L, 10/XL	12 prs / 120	120



**E-380**

MADE IN TÜRKİYE 

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-380</b>	Nitrile	Cotton	EN 388: (4111X)	9/L, 10/XL	12 prs / 120	120



**E-43-KS**

MADE IN TURKIYE 

**E-43-BS**

MADE IN TURKIYE 

**E-43-BG**

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-43-BB</b>	Nitrile	Polyester	EN 388: (3122X)	7/S, 8/M, 9/L, 10/XL	12 prs / 360	360
<b>E-43-BS</b>	Nitrile	Polyester	EN 388: (3122X)	7/S, 8/M, 9/L, 10/XL	12 prs / 360	360
<b>E-43-BG</b>	Nitrile	Polyester	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	12 prs / 360	360



**E-46-KS**

**E-46-MS**

MADE IN TURKIYE 

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-46-MS</b>	Nitrile	Polyester	EN 388: (3122X)	9/L, 10/XL	1 prs / 240	240
<b>E-46-MS</b>	Nitrile	Polyester	EN 388: (4121X)	9/L, 10/XL	1 prs / 240	240



**E-42**

**13-G**

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-42</b>	PU	Polyamide + Carbon	EN 388: (3121X) EN 16350:20014 EN 1149-2	7/S, 8/M, 9/L, 10/XL	12 prs / 120	120



**E-49-BB**

MADE IN TÜRKİYE

**13-G**

**E-49-BS**

MADE IN TÜRKİYE

**13-G**

**E-49-SS**

**13-G**

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-49-BB</b>	PU	Polyester	EN 388: (3121X)	7/S, 8/M, 9/L, 10/XL	1 prs / 240	240
<b>E-49-BS</b>	PU	Polyester	EN 388: (3121X)	7/S, 8/M, 9/L, 10/XL	1 prs / 240	240
<b>E-49-SS</b>	PU	Polyester	EN 388: (4121X)	7/S, 8/M, 9/L, 10/XL	1 prs / 240	240





**KF-444-R**

MADE IN TURKIYE

**KF-444-Y**

MADE IN TURKIYE

**KF-555-B**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>KF-444-R</b>	Nitrile	Polyester	EN 388:+A1: (2021X)	10/XL	12 prs / 360	360
<b>KF-444-Y</b>	Nitrile	Polyester	EN 388:+A1: (2021X)	10/XL	12 prs / 360	360
<b>KF-555-B</b>	Nitrile	Polyester	EN 388:+A1: (3122X)	9/L, 10/XL	12 prs / 360	360



**KF-555-Y**

MADE IN TURKIYE

**KF-777-R**

MADE IN TURKIYE

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>KF-555-Y</b>	Nitrile	Polyester	EN 388:+A1: (3122X)	9/L, 10/XL	12 prs / 360	360
<b>KF-777-R</b>	Nitrile	Polyester	EN 388:+A1: (3121X)	10/XL	12 prs / 360	360



**E-54-G**

**10-G**



**E-54-B**

**10-G**



**E-45**

**13-G**

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-54-G</b>	Latex	Coton	EN 388:+A1: (2132X)	9/L, 10/XL	1 prs / 240	240
<b>E-54-B</b>	Latex	Coton	EN 388:+A1: (2132X)	9/L, 10/XL	1 prs / 240	240
<b>E-45</b>	Latex	Polyester	EN 388:+A1: (2131X)	9/L, 10/XL	1 prs / 240	240

## Chemical Gloves



**D-MODEL**

**H1-45**

**H2-45**

**H1-60**

**H2-60**

	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ	Price
<b>D Model</b>	Rubber (Black)	Rubber (Orange)	Lenght: 34cm & Thickness 0,80mm	EN 388: (1000X) EN 374-5	9, 10	12 prs / 120	120	\$0,56
<b>H1-45</b>	Rubber (Black)	Rubber (Orange)	Lenght: 45cm & Thickness 0,70mm	EN 388: (3110X)	11	1 prs / 72	72	\$1,37
<b>H2-45</b>	Rubber (Black)	Rubber (Orange)	Lenght: 45cm & Thickness 0,70mm	EN 388: (3110X)	11	1 prs / 72	72	\$1,59
<b>H1-60</b>	Rubber (Black)	Rubber (Orange)	Lenght: 60cm & Thickness 0,70mm	EN 388: (3110X)	11	1 prs / 72	72	\$1,59
<b>H2-60</b>	Rubber (Black)	Rubber (Orange)	Lenght: 60cm & Thickness 0,70mm	EN 388: (3110X)	11	1 prs / 72	72	\$1,83





**STL-1413**

**STL-1513**

**STL-1813**

**STL-1815**

	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>STL-1413</b>	Acrylonitrile Butadiene+Nitrile	Cotton	Lenght: 33cm Thickness 0,38mm	EN 388: (4102X) EN 374-1Type A (AJKLMNOPT) EN 374-5	7, 8, 9, 10	1 prs / 144	144
<b>STL-1513</b>	Acrylonitrile Butadiene+Nitrile	Cotton	Lenght: 33cm Thickness 0,38mm	EN 388: (4101X) EN 374-1Type A (AJKLMNOPT) EN 374-5	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144
<b>STL-1813</b>	Acrylonitrile Butadiene+Nitrile	Cotton	Lenght: 33cm Thickness 0,45mm	EN 388: (4101X) EN 374-1Type A (AKLMNOPT) EN 374-5	7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144
<b>STL-1815</b>	Acrylonitrile Butadiene+Nitrile	Cotton	Lenght: 38cm & Thickness 0,45mm	EN 388: (4101X) EN 374-1Type A (AJKLMNOPT) EN 374-5	7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144



**STL-38**



**STL-45**

	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>STL-38</b>	Natural Rubber	Cotton	Lenght: 30cm & Thickness 0,38mm	EN 388: (1010X) EN 374-1TypeA (KLM PST) EN 374-5	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144
<b>STL-45</b>	Natural Rubber	Cotton	Lenght: 30cm & Thickness 0,45mm	EN 388: (1010X) EN 374-1TypeA (KLM PST) EN 374-5	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144



**STL-55**

**STL-75**

	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>STL-55</b>	Natural Rubber	Cotton	Lenght: 30cm & Thickness 0,55mm	EN 388:+A1 (1010X) EN ISO 374-1/ Type A (AKLMNPST) EN 374-5	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144
<b>STL-75</b>	Natural Rubber	Cotton	Lenght: 30cm & Thickness 0,75mm	EN 388: (3111X) EN ISO 374-1 / Type A (AKLMNOPT) EN 374-5	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144



**STL-2113**



**STL-2812**

	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>STL-2113</b>	Natural Rubber + Neoprene	Cotton	Lenght: 30cm & Thickness 0,60mm	EN 388: (2110X) EN 374-1: (AKLMNPST) EN 374-4: EN 374-5	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144
<b>STL-2812</b>	Natural Rubber	Cotton	Lenght: 32cm & Thickness 0,71mm	EN 388: (3111X) EN ISO 374-1: Type A (AKLMNOPT) EN 374-5	7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 144	144



**E-530**



**E-540**



**E-550**



**E-560**



**STL-N65**

	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>E-530</b>	Natural Rubber	Cotton	Lenght: 33cm & Thickness 1,8mm	EN 388: (AKLMNPST) EN: 374-5 EN 407: (X1XXXX)	7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 60	60
<b>E-540</b>	Natural Rubber	Cotton	Lenght: 30cm & Thickness 1,4mm	EN 388: (4131X) EN 374-1:+A1:Type A (AKLMNPST) EN 374-5 EN 407: (X2XXXX)	6-6.5, 7-7.5, 8-8.5, 9-9.5, 10-10.5	1 prs / 72	72
<b>E-550</b>	Bi-Polymer (PVC + Nitrile)	Nylon	Lenght: 35cm	EN 388: (4131X) EN ISO 3741Type B (AKLMPT) EN ISO 374-4:EN 374-5	9-9.5, 10-10.5	1 prs / 72	72
<b>E-560</b>	PVC + TPR	Nylon	Lenght: 30cm	EN 388:(4131XP) EN 374-1:Type A (JKLMPT) EN 374-4 EN 374-5	9, 10	1 prs / 72	72
<b>STL-N65</b>	Nitrile	Cotton	Lenght: 65cm	EN 388: (4111X) EN ISO 374-1: / TypeA (JKLMPT) EN ISO 374-4 EN 374-5	8-8.5, 9-9.5, 10-10.5	1 prs / 36	36



# Special Purpose Gloves



**STL-1080**



**STL-1090**

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>STL-1080</b>	ORRA Foam Nitrile	Outer Layer Nylon + Spandex Inner Layer: Acrylic Terry Loop	EN 388: (4232B) EN 511:(020) EN 407: (X1XXXX)	6/XS, 7/S, 8/M, 9/L, 10/ XL, 11/XXL, 12/3XL	6 prs / 60	60
<b>STL-1090</b>	Foam Nitrile	Outer Layer 15-G Polyester Inner Layer: 10-G Double Shell Foam	EN 388: (4231X) EN 511: (X10)	9/L, 10/XL	6 prs / 60	60



Protection against cold



Prevent liquid leakages





**E-125415**

	Coating	Lining	Standards	Size	Packaging	MOQ
<b>E-125415</b>	Foam Rubber	Nylon + Cotton	EN 388: (4142B) EN ISO 10819	10/XL	1 prs / 30	30



**CRYOLITE-HP**  
MADE IN ITALY 

**FLAME AIB 659**  
MADE IN ITALY 


	Coating	Lining	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>CRYOLITE-HP</b>	Skin Leather + Polyolefin Porelle® Membrane	Multi-layer Aramid Polar	Lenght: 38cm	EN 388: (2122X) EN 511: (131) EN 407: (X2XXXX)	10/XL	1 prs / 10	10
<b>FLAME AIB 659</b>	Skin Leather + Polyolefin Porelle® Membrane	Multi-layer Aramid Polar	Lenght: 38cm	EN 388: + A1: (3243X) EN 511: (22X) EN 407: (4242XX) EN 659	10/XL	1 prs / 10	10



**LINEPRO**

**Coating Operating voltage & Test voltage & Durability Length & Thickness Standards Size Packaging MOQ**

	Coating	Operating voltage & Test voltage & Durability	Length & Thickness	Standards	Size	Packaging	MOQ
<b>LINEPRO CLASS 00</b>	Natural Rubber	500 V AC & 2.500 V AC & AC	Thickness 1,10mm	EN 60903: & IEC 60903	10/XL	1 pr / 12	12
<b>LINEPRO CLASS 0</b>	Natural Rubber	1.000 V AC & 5.000 V AC & AC	Thickness 1,60mm	EN 60903: & IEC 60903	10/XL	1 pr / 12	12
<b>LINEPRO CLASS 1</b>	Natural Rubber	7.500 V AC & 10.000 V AC & AC	Thickness 2,10mm	EN 60903: & IEC 60903	10/XL	1 pr / 12	12
<b>LINEPRO CLASS 2</b>	Natural Rubber	17.000 V AC & 20.000 V AC & ACH	Thickness 2,90mm	EN 60903: & IEC 60903	10/XL	1 pr / 12	12
<b>LINEPRO CLASS 3</b>	Natural Rubber	26.500 V AC & 30.000 V AC & ACH	Thickness 3,50mm	EN 60903: & IEC 60903	10/XL	1 pr / 12	12
<b>LINEPRO CLASS 4</b>	Natural Rubber	36.000 V AC & 40.000 V AC & ACH	Thickness 3,60mm	EN 60903: & IEC 60903	10/XL	1 pr / 12	12





## Sleeves



**SL-03**



**SL-04**

MADE IN TÜRKİYE



**SL-06**

MADE IN TÜRKİYE

	Coating	Lenght & Thickness	Standards	Size	Packaging	MOQ
<b>SL-03-15</b>	Aramid	Lenght: 15m	EN 388:+A1: (2334C) EN 407: (X2XXXX)	Standard	1 pcs / 1	1
<b>SL-03-25</b>	Aramid	Lenght: 25m	EN 388:+A1: (2334C) EN 407: (X2XXXX)	Standard	1 pcs / 1	1
<b>SL-03-35</b>	Aramid	Lenght: 35m	EN 388:+A1: (2334C) EN 407: (X2XXXX)	Standard	1 pcs / 1	1
<b>SL-03-45</b>	Aramid	Lenght: 45m	EN 388:+A1: (2334C) EN 407: (X2XXXX)	Standard	1 pcs / 1	1
<b>SL-06</b>	HPPE	Lenght: 35m	EN 388:+A1: (4X4XC)	Standard	1 pcs / 60	60
<b>SL-04</b>	HPPE	Lenght: 45m	EN 388:+A1: (4X4XC)	Standard	1 pcs / 60	60

## Protective Clothes and Raincoats



V1TKA/C



V1TKA/CD



LTKA



V3TKA



V2TKA




V4TKA



HKAL

MADE IN ITALY 

	Material	Fabric weight	Standards	Size	Packaging	MOQ
V1TKA/C	Aluminized Aramid + Polycarbonate Face Shield (Thickness 1,8mm)	450g/m <sup>2</sup>	EN ISO 11611: CLASS 2 A1+A2 EN ISO 11612: A1+A2 B1 C3 D3 E2 F1	Standard	1 pcs / 1	1
V1TKA CD	Aluminized Aramid + Polycarbonate Neutral Gold Mirrored Face Shield (Thickness 1,8mm)	450g/m <sup>2</sup>	EN ISO 11611: CLASS 2 A1+A2 EN ISO 11612: A1+A2 B1 C3 D3 E2 F1	Standard	1 pcs / 1	1
V2TKA	Aluminized Aramid	450g/m <sup>2</sup>	EN ISO 11611: CLASS 2 A1+A2 EN ISO 11612: A1+A2 B1 C3 D3 E2 F1	M,L,XL,XXL	1 pcs / 1	1
V3TKA	Aluminized Aramid	450g/m <sup>2</sup>	EN ISO 11611: CLASS 2 A1+A2 EN ISO 11612: A1+A2 B1 C3 D3 E2 F1	M,L,XL,XXL	1 pcs / 1	1
V4TKA	Aluminized Aramid	450g/m <sup>2</sup>	EN ISO 11611: CLASS 2 A1+A2 EN ISO 11612: A1+A2 B1 C3 D3 E2 F1	M,L,XL,XXL	1 prs / 1	1
LTKA	Aluminized Aramid	450g/m <sup>2</sup>	EN ISO 11611 : CLASSE 2 A1+A2 EN ISO 11612 : A1+A2 B1 C3 D3 E2 F1	70 x 100 cm	1 prs / 1	1
HKAL	Aluminized Aramid	450g/m <sup>2</sup>	EN ISO 11611 : CLASSE 2 A1+A2 EN ISO 11612 : A1+A2 B1 C3 D3 E2 F1	M,L,XL,XXL	1 prs / 1	1



MADE IN BULGARIA 

**100PE04**

**100PE05**

	Material	Standards	Size	Packaging	MOQ
<b>100PE04</b>	100 micron POLYETHYLENE COPOLYMER (Yellow)	TYPE 5-B EN ISO 13982-1:2004 +A1:2010 TYPE 3 EN 14605 EN 340:2003 ISO 9001:2008	S, M, L, XL, XXL, XXXL	1 pcs / 25	25
<b>100PE05</b>	100 micron POLYETHYLENE COPOLYMER (Black)	EN 1149-5:2008 EN 14126:2003 TYPE 5-BEN ISO 13982-1:2004+A1:2010 TYPE 6-B EN 13034:2005+A1:2009 TYPE 4-B EN 14605:2005+A1:2009 TYPE 3 EN 14605 EN 340:2003 TYPE 4-B EN 14605:2005+A1:2009 ISO 9001:2008	S, M, L, XL, XXL, XXXL	1 pcs / 25	25





Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9081-S1

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Right
- Size: 36-46

## STL-9081-S1P

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Right
- Weight: (SIZE 41-S1P) 1015 gr
- Size: 36-46



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9010-S2

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Blue
- Size: 36-46

## STL-9010-S3

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Blue
- Weight: (SIZE 41-S3) 997 gr
- Size: 36-46



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9011- S1

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j,15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Size: 36-46

## STL-9011- S1P

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Kevler midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j,15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Weight: (SIZE 41-S1P) 942gr
- Size: 36-46







Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9020-S3

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j,15kn)
- Anatomical breathable insoles
- Color: Black & Grey
- Size: 36-46

## STL-9020-S3

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Kevler midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j,15kn)
- Anatomical breathable insoles
- Color: Black & Grey
- Weight: (SIZE 41-S3) 997 gr
- Size: 36-46





Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9021- S1

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Size: 36-46

## STL-9021- S1P

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Weight: (SIZE 41-S1P) 950gr
- Size: 36-46





Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9030-S2

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Size: 36-46

## STL-9030-S3

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Weight: (SIZE 41-S3) 997 gr
- Size: 36-46



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9031- S1

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Brown & Yellow
- Size: 36-46

## STL-9031- S1P

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Brown & Yellow
- Weight: (SIZE 41-S1P) 950gr
- Size: 36-46



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9040-S2

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Size: 36-46

## STL-9040-S3

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Weight: (SIZE 41-S3) 1024 gr
- Size: 36-46





STL  
STARLINE  
SAFETYSHOES



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9040B-S2

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Size: 36-46

## STL-9040B-S3

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Red
- Weight: (SIZE 41-S3) 1107 gr
- Size: 36-46



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9050-S2

- This model can be produced as S2
- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Blue
- Size: 36-46

## STL-9050-S3

- This model can be produced as S2
- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable oil and water resistant upper leather upper
- Kevlar midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Black & Blue
- Weight: (SIZE 41-S3) 1101 gr
- Size: 36-46





Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



## STL-9061- S1

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Brown & Green
- Size: 36-46

## STL-9061- S1P

- STANDARDS: A, CR, E, FO, P, SRC, B
- EN ISO 20345 SB
- Puncture resistant aramid base  $\geq 1100$  n
- Breathable suede upper
- Kevler midsole
- Metal free upper and sole
- PU/TPU dual density sole
- Antistatic
- Shock absorption
- SRC
- Non-metallic composite nose protection (200j, 15kn)
- Anatomical breathable insoles
- Color: Brown & Green
- Weight: (SIZE 41-S1P) 942gr
- Size: 36-46



With our boots, we take  
sturdy steps







**STARLINE**  
For the last 30 years, we have been producing high-quality rubber boots for over 30 years.



EN ISO 20347:2012  
S4 SPP  
DTR 199  
STL 9910



STL 9910



● Insole

O4



● Insole

● Steel Toe Cap

S4



● Insole

● Steel Midsole

● Steel Toe Cap

S5



# STL-9910 SERIES (O4-S4-S5)



- Ergonomic Design
- PU / PU
- SRC non slip sole
- Antistatic
- Color: Green-Yellow -Black-White
- Size 37-47



Made in **Türkiye**



Collaboration with:  
**DESMA** ■ **BASF**



White



Yellow



Black



Green







# STL-9910M SERIES (O4-S4-S5)

Provides comfortable use in cold environments thanks to its polar furlined lining.



- Ergonomic Design
- PU / PU
- SRC non slip sole
- Antistatic
- Color: White-Green-Yellow-Black
- Size 37-47



Made in Türkiye



Collaboration with:  
**DESMA** ■ **BASF**



# First Aid Kits and Eye Washes



MADE IN GERMANY 



**ACQ-425**

MOQ  
10 pcs



**ACQ-426**

MOQ  
10 pcs

MADE IN GERMANY 

ACQ 425 Eye wash bottle includes Sterile Sodium Chloride NaCl0,9%. It is used in the removal of foreign substances such as dust, dirt, metal and wood particles, which are small, invisible and harm the eye.

ACQ 426 Eye wash bottle includes Ph Neutralizing Solution. It is used to rinse the eye and skin surface in case of chemical burns that may occur due to the contact of acid or alkaline solutions with the eye and skin surface. It is used to neutralize the eye within 2 minutes of eye injuries caused by acid and alkali (except lime and cement containing calcium substances) in the eye. After rinsing the eye with PH Neutral (ACQ426), it is recommended to rinse the eye with Sterile Sodium Chloride Solution (ACQ425)

Two eye shower stations sold in groups are listed below.



**CPS023 - Eye Shower Station**  
(2Pieces. ACQ425 + 1Piece Mirror)

MOQ  
1 prs

**Mounting materials**  
1 piece wall board  
1 piece mounted on the panel mirror  
1 piece set of mounting material  
(dowel-screw)



**CPS024 - Eye Shower Station**  
(1Piece ACQ425 + 1Piece ACQ426 + 1Piece Mirror)

MOQ  
1 prs





## PL 101

MADE IN TÜRKİYE

### Package Content:

- 2,5cmx500cm patch - 1 Piece
- Plasters 1,9cmx7,2cm 10 with Box - 2 Piece
- Adhesive Wound Pad 10cmx9cm - 1 Piece
- Bandage Cloth 5cmx150cm - 2 Piece
- Bandage Cloth 10cmx150cm - 2 Piece
- Triangular Bandages of 96cmx136cmx96cm 2 Piec
- Elastic Bandage 6cmx100cm - 1 Piece
- Sterile Gas Compressor 30cmx40cm - 1 piece
- Sterile Gas compressor 30cmx80cm - 1 Piece
- Absorbent Cotton 50g - 1 Piece
- Instant Cold Compress Large - 1 unit
- Textile tourniquet clip - 1 Piece
- Digital Thermometer - 1 piece
- 50 ml of antiseptic solution - 1 Piece
- Oxygenated Water 100 ml - 1 Piece
- Resuscitation Mask - 1 Piece
- Disposable Gloves Pack (2 in 1) - 1 Piece
- Safety Pin 12 s - 1 Piece
- Tweezers - 1 Piece
- Scissors - 1 Piece
- First Aid Manual - 1 Piece
- Stainless Steel Scissors - 1 Piece
- **MOQ: 12 pcs**



## PL 102

MADE IN TÜRKİYE

### Package Content:

- Plaster 2,5cmx500cm - 1 Piece
- Wound Band 1,9cmx7,2cm 15 Pieces
- Wound Band 2,5cmx7,2cm 4 Pieces
- Sterile Adhesive Wound Pad 10x9cm
- Bandage 5cmx150cm - 1 Piece
- Bandage 10cmx150cm - 2 Pieces
- Triangular Bandage 96cmx136cmx96cm - 2 Pieces
- Elastic Bandage 6cmx200cm - 1 Piece
- Sterile Compress 30cmx40cm - 1 Piece
- Sterile Compress 30cmx80cm - 1 Piece
- Hydrophilic Cotton 50gr. - 1 Piece
- Instant Cold Compress. - 1 Piece
- Monodose Povidone Iodized Solution 7ml - Biocidal - 2 Pieces
- Monodose Oxygen Water 7ml - Biocidal - 2 Pieces
- Alcoholic Wipes - 1 Piece
- Cleaning Wipes, Alcohol Free - 1 Piece
- Disposable Gloves - 2 Pieces
- Turnstile Clip - 1 Piece
- Scissors - 1 Piece
- Artificial Respirator Mask - 1 Piece
- Safety Pin - 12 Pieces
- Plastic Tweezers - 1 Piece
- Response Cover 39x27cm - 1 Piece
- First Aid Booklet - 1 Piece
- **MOQ: 6 pcs**



## PL 106

MADE IN TÜRKİYE

### Package Content:

- 2,5cmx500cm patch - 1 Piece
- Plasters 1,9cmx7,2cm 10 with Box - 1 Piece
- Plasters 1,9cmx7,2cm 10 with Box - 1 Piece
- Triangular Bandages of
- 96cmx136cmx96cm - 3 Pieces
- Elastic Bandage 6cmx200cm - 1 Piece
- Sterile Gas Compressor 10cmx10cm 52
- Floor - 1 Piece
- Protection Silver Cover 150cmx200cm 1 Piece
- 50 ml of antiseptic solution - 1 Piece
- Textile tourniquet clip - 1 Piece
- Flashlight - 1 Piece
- Disposable Gloves (4 in 1 pack) - 1 Piece
- Safety Pin 12 s - 1 Piece
- Scissors Medium - 1 Piece
- Bag - 1 Piece
- First Aid Manual - 1 Piece
- Stainless Steel Scissors - 1 Piece
- **MOQ: 6 pcs**



## BURN SET-101

### Package Content:

- Burn Hydrogel / 3,5gr 3 pcs
- Plaster / 1.25cmx500cm 1 pcs
- Bandage / 5cmx150cm 1 pcs
- Sterile Gas Compress / 30cmx40cm 1 pcs
- Cleaning Wipe / Alcohol Free 2 pcs
- First Aid Booklet 1 pcs
- **MOQ: 9 pcs**



## BURN SET-105

### Package Content:

- Burn Hydrogel Spray 59ml 2 pcs
- Burn Hydrogel 3,5gr 10 pcs
- Hydrogel Burn Cloth 10cmx10cm 40gr 5 pcs
- Hydrogel Burn Cloth 20cmx20cm 150gr 2 pcs
- Plaster 2,5cmx500cm 1 pcs
- Bandage 5cmx150cm 1 pcs
- Bandage 10cmx150cm 1 pcs
- Sterile Gas Compress 30cmx40cm 1 pcs
- Sterile Gas Compress 30cmx80cm 1 pcs
- Cleaning Wipe, Alcohol Free 1 pcs
- Disposable Gloves 2 pcs
- Plastic Tweezers 1 pcs
- Plastic Handle Scissors 14cm 1 pcs
- Intervention Cover 39cmx27cm 1 pcs
- First Aid Booklet 1 pcs
- **MOQ: 1 pcs**



PL-T-201

PL-B-202

MADE IN TURKIYE 

**PL-MIX-203:** Sold in 6 units. It consists of 3 PL-T201 and 3 PL-B-202.

MOQ

6 pcs



### Lens Mirror

	Color	Material	Diameter	MOQ	Price
<b>CM 300</b>	Orange	ABS	300 mm	1 pcs	\$18,08
<b>CM 450</b>	Orange	ABS	450 mm	1 pcs	\$18,70
<b>CM 600</b>	Orange	ABS	600 mm	1 pcs	\$19,80
<b>CM 800</b>	Orange	ABS	800 mm	1 pcs	\$32,19
<b>CM 1000</b>	Orange	ABS	1000 mm	1 pcs	\$40,19
<b>CM 1200</b>	Orange	ABS	1200 mm	1 pcs	\$150,11

\* CM 300 model is produced without a cap for indoor use.

\* The mounting equipment that provides the connection to the wall or pole is sent free of charge.





### ETK-4050-300

MADE IN TURKIYE

- Absorbs only oil and petroleum based liquids.
- Hydrophobic (does not absorb water).
- It provides fast suction thanks to its strong and durable structure. • It is not used in paints, chemicals, food products and acids.
- **Size:** 40 x 50 cm
- **Absorbent Capacity:** 100 LT
- **MOQ:** 100 pcs



### NC-4050-300

MADE IN TURKIYE

- Oil and its derivatives, water and water-based products, including acids and caustics, including a wide range of liquid substances on the surface.
- Does not react chemically.
- It has a porous structure providing flexibility.
- It is also perforated.
- **Size:** 40 x 50 cm
- **Absorbent Capacity:** 100 LT
- **MOQ:** 100 pcs



### GEN-4050-300

MADE IN TURKIYE

- Absorbs petroleum and its derivatives, water and water-based liquids, solvents and non-hazardous chemicals.
- Does not react chemically.
- Has a porous structure providing flexibility
- It is also perforated. If necessary, it can be used in small debris.
- **Size:** 40 x 50 cm
- **Absorbent Capacity:** 100 LT
- **MOQ:** 100 pcs



### ETK-5040R-300

MADE IN TURKIYE

- Absorbs only oil and petroleum based liquids.
- Hydrophobic (does not absorb water).
- It provides fast suction thanks to its strong and durable structure. • It is not used in paints, chemicals, food products and acids.
- **Size:** 40 x 50 mt
- **Absorbent Capacity:** 100 LT
- **MOQ:** 1 pcs



### NC-5040R-300

MADE IN TURKIYE

- Oil and its derivatives, water and water-based products, including acids and caustics, including a wide range of liquid substances on the surface.
- Does not react chemically.
- It has a porous structure providing flexibility.
- It is also perforated.
- **Size:** 40 x 50 mt
- **Absorbent Capacity:** 100 LT
- **MOQ:** 1 pcs



### GEN-5040R-300

MADE IN TURKIYE

- Absorbs petroleum and its derivatives, water and water-based liquids, solvents and non-hazardous chemicals.
- Does not react chemically.
- Has a porous structure providing flexibility
- It is also perforated. If necessary, it can be used in small debris.
- **Size:** 40 x 50 mt
- **Absorbent Capacity:** 100 LT
- **MOQ:** 1 pcs



### ETK-8050-300

MADE IN TURKIYE

- Absorbs only oil and petroleum based liquids.
- Hydrophobic (does not absorb water).
- It provides fast suction thanks to its strong and durable structure. • It is not used in paints, chemicals, food products and acids.
- **Size:** 80 x 50 mt
- **Absorbent Capacity:** 200 LT
- **MOQ:** 1 pcs



### NC-8050-300

MADE IN TURKIYE

- Oil and its derivatives, water and water-based products, including acids and caustics, including a wide range of liquid substances on the surface.
- Does not react chemically.
- It has a porous structure providing flexibility.
- It is also perforated.
- **Size:** 80 x 50 mt
- **Absorbent Capacity:** 200 LT
- **MOQ:** 1 pcs



### GEN-8050-300

MADE IN TURKIYE

- Oil and its derivatives, water and water-based products, including acids and caustics, including a wide range of liquid substances on the surface.
- Does not react chemically.
- It has a porous structure providing flexibility.
- It is also perforated.
- **Size:** 80 x 50 mt
- **Absorbent Capacity:** 200 LT
- **MOQ:** 1 pcs



### ETK-8120 - ETK-8300

MADE IN TÜRKİYE

- Absorbs only oil and petroleum based liquids.
- (Does not absorb water)
- In addition to the suction feature, it is used to encapsulate the debris and prevent it from dispersing.
- Not for use in paints, chemicals and acids.
- **Size:**
- ETK-8120: 8 x 120 cm | ETK-8300: 8 x 300 cm
- **Absorbent Capacity:**
- ETK-8120-3 LT | ETK-8300-7 LT
- **MOQ:**
- ETK-8120: 20 | ETK-8300: 10
- **Price:**
- ETK-8120: \$1,15 | ETK-8300:



### NC-8120 - NC-8300

MADE IN TÜRKİYE

- Superabsorbent fabric contains cellulose and polypropylene.
- It absorbs all kinds of liquid spills (oil and derivatives, solvents, water-based liquids, paint, etc.).
- It is used to encapsulate spillage and prevent it from spreading.
- **Size:**
- NC-8120: 8 x 120 cm | NC-8300: 8 x 300 cm
- **Absorbent Capacity:**
- NC-8120-3 LT | NC-8300-7 LT
- **MOQ:**
- NC-8120: 20 | NC-8300: 10
- **Price:**
- NC-8120: \$1,15 20 | NC-8300:



### GEN-8120 - GEN-8300

MADE IN TÜRKİYE

- Absorbs petroleum and its derivatives, water and water-based liquids, solvents and non-hazardous chemicals.
- Does not react chemically.
- Has a porous structure providing flexibility
- It is also perforated. If necessary, it can be used in small debris.
- **Size:**
- GEN-8120: 8 x 120 cm | GEN-8300: 8 x 300 cm
- **Absorbent Capacity:**
- GEN-8120-3 LT | GEN-8300-7 LT
- **MOQ:**
- GEN-8120: 20 | GEN-8300: 10
- **MOQ:**
- GEN-8120: \$1,15 | GEN-8300



### ETK-2540

MADE IN TÜRKİYE

- Absorbs only oil and petroleum based liquids.
- (Does not absorb water)
- In addition to the suction feature, it is used to encapsulate the debris and prevent it from dispersing.
- Not for use in paints, chemicals and acids.
- **Size:** : 40 cm x 25 cm
- **Absorbent Capacity:** 4 LT
- **MOQ:** 10 pcs



### NC-2540

MADE IN TÜRKİYE

- Superabsorbent fabric contains cellulose and polypropylene.
- It absorbs all kinds of liquid spills (oil and derivatives, solvents, water-based liquids, paint, etc.).
- It is placed under fixed leaks to prevent spillage.
- **Size:** : 40 cm x 25 cm
- **Absorbent Capacity:** 4 LT
- **MOQ:** 10 pcs



### GEN-2540

MADE IN TÜRKİYE

- Superabsorbent fabric contains cellulose and polypropylene.
- It absorbs all kinds of liquid spills (oil and derivatives, solvents, water-based liquids, paint, etc.).
- It is placed under fixed leaks to prevent spillage.
- **Size:** : 40 cm x 25 cm
- **Absorbent Capacity:** 4 LT
- **MOQ:** 10 pcs



### ETK-1350

MADE IN TÜRKİYE

- 100% natural and dry powder product
- Shelf life is unlimited.
- Shelf life is unlimited.
- Absorbs up to 4-5 times more oil and derivative hydrocarbons than other products (sawdust and sand). With its water repellent and oil absorbing properties,
- it absorbs all the fuel spilled on the floor.
- **Absorbent Capacity:** 30 LT
- **MOQ:** 1 pcs



### GEN-1800

MADE IN TÜRKİYE

- 100% natural and dry powder product
- Shelf life is unlimited.
- Shelf life is unlimited.
- Absorbs up to 4-5 times more oil and derivative hydrocarbons than other products (sawdust and sand). With its water repellent and oil absorbing properties,
- it absorbs all the fuel spilled on the floor.
- **Absorbent Capacity:** 30 LT
- **MOQ:** 1 pcs



### ETK-20300

MADE IN TÜRKİYE

- Absorbs only oil and petroleum based liquids.
- (Does not absorb water)
- In addition to the suction feature, it is used to encapsulate the debris and prevent it from dispersing.
- Not for use in paints, chemicals and acids.
- **Size:** 20 x 300 cm
- **Absorbent Capacity:** 12 Lt
- **MOQ:** 4 pcs



Encircle spills with booms. It begins to absorb oil and petroleum-based (repels water) liquids in water.



As spills are sucked in, the boom will submerge and will not leak.



Thanks to its hydrophobic (water repellent) feature, the boom will not sink even when fully saturated.



### KT-OTO 30-LY

MADE IN TÜRKİYE

- Produced for the use of tankers carrying oil and derivatives.
- 1 Carrying Bag.
- 20 Pieces of Oil Absorbent Pads.
- 2 Oil Absorbing Sausages.
- 1 Oil Absorbent Pillows.
- 1 Set of PPE Equipment: Protective Gloves, Protective Glasses.
- 1 Waste Bag.
- **MOQ:** 1 pcs



### KT-OTO 30-LK

MADE IN TÜRKİYE

- Produced for the use of tankers carrying oil and derivatives.
- 1 Carrying Bag.
- 20 Pieces of Chemical Absorbent Pads.
- 2 Chemical Absorbing Sausages.
- 1 Chemical Absorbent Pillows.
- 1 Set of PPE Equipment: Protective Gloves, Protective Glasses.
- 1 Waste Bag.
- **MOQ:** 1 pcs



### KT-BETA

Usage areas

- It is produced for use in hospitals and laboratories,
- experiment rooms, R&D work areas.

**Content:**

- 1 Carrying Bag.
- 1 Pack of Small Size Nviroclean Absorbent Powder.
- 10 Chemical Absorbent Pads (20cm x 50cm).
- 1 Set of PPE Equipment: Gloves, Dust Mask, Safety Glasses.
- 1 Set of Cleaning Equipment: Brush, Dustpan, Waste Bag.
- **MOQ:** 1 pcs



MADE IN TURKIYE



### KT-MEGA

- 240 Lt Mobile Transport Bucket,
- 200 Pcs Oil Absorbent Pads,
- 10 Pcs Oil Absorbent Socks,
- 5 Pcs Oil Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

### KT-BASIC

- 120 Lt Mobile Transport Bucket,
- 65 Pcs Oil Absorbent Pads,
- 8 Pcs Oil Absorbent Socks,
- 4 Pcs Oil Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

### KT-NANO

- 80 Lt Mobile Transport Bucket,
- 50 Pcs Oil Absorbent Pads,
- 4 Pcs Oil Absorbent Socks,
- 2 Pcs Oil Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

MADE IN TURKIYE



### KT-MAXI

- 240 Lt Mobile Transport Bucket,
- 200 Pcs Absorbent Pads,
- 10 Pcs Absorbent Socks,
- 5 Pcs Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

### KT-MINI

- 120 Lt Mobile Transport Bucket,
- 65 Pcs Absorbent Pads,
- 8 Pcs Absorbent Socks,
- 4 Pcs Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

### KT-MICRO

- 80 Lt Mobile Transport Bucket,
- 50 Pcs Absorbent Pads,
- 4 Pcs Absorbent Socks,
- 2 Pcs Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

MADE IN TURKIYE



### KT-MAGNA

- 240 Lt Mobile Transport Bucket,
- 200 Pcs Absorbent Pads,
- 10 Pcs Absorbent Socks,
- 5 Pcs Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

### KT-MEDIUM

- 120 Lt Mobile Transport Bucket,
- 65 Pcs Absorbent Pads,
- 8 Pcs Absorbent Socks,
- 4 Pcs Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

### KT-PARUM

- 80 Lt Mobile Transport Bucket,
- 50 Pcs Absorbent Pads,
- 4 Pcs Absorbent Socks,
- 2 Pcs Absorbent Pillow,
- 1 Set Cleaning Equipment;
- Protective gloves, dust mask, protective glasses, Waste Bag
- **MOQ:** 1 pcs

## Measuring Tapes, Non-Slip Tapes and Accessories



	Size	MOQ
3G48W	3mt x 16mm	120 pcs
5G48E	5mt x 19mm	120 pcs
5G48X	5mt x 25mm	72 pcs
8G48X	8mt x 25mm	60 pcs



	Size	MOQ
5G51X	5mt x 25mm	72 pcs
5G57X	5mt x 25mm	72 pcs
5G44X	5mt x 25mm	72 pcs



	Size	MOQ
J206	20mt x 13mm	20 pcs
J306	30mt x 13mm	20 pcs
J506	5mt x 25mm	72 pcs



	Size	MOQ
390W	3mt x 16mm	120 pcs
590E	5mt x 19mm	120 pcs
590X	5mt x 25mm	72 pcs
890X	8mt x 25mm	60 pcs
1090X	10mt x 25mm	48 pcs



	Size	MOQ
3G56W	3mt x 16mm	120 pcs
5G56E	5mt x 19mm	120 pcs
5G56X	5mt x 25mm	72 pcs
8G56X	8mt x 25mm	60 pcs



	MOQ
25mm x 15mt Yellow Black	32 pcs
50mm x 15mt Yellow Black	16 pcs
25mm x 15mt Black	pcs 32
50mm x 15mt Black	16 pcs



	MOQ
Red White Safety Strip ( 500 mt)	12 pcs



MADE IN TURKIYE 

	MOQ
Glove-Holder	50 pcs



MADE IN TURKIYE 

	MOQ
BS-01	35 pcs

